

# OccuMED Consulting PTY LTD - SSTP

<b>Areas Applicable</b>	NT Wide	
<b>Health Professionals authorised by this SSTP</b>	Nurses and Paramedics employed by or contracted to OccuMED Consulting Pty Ltd (ABN 85 075 711 652)	
<b>Scheduled Substance(s)</b>	Aciclovir	Ipratropium
	Adenosine	Insulin
	Adrenaline (epinephrine)	Isosorbide dinitrate
	Amiodarone	Ketorolac
	Amlodipine	Levonorgestrel
	Amoxicillin	Lidocaine
	Atropine	Mefenamic acid
	Azithromycin	Metoclopramide
	Benztropine	Metoprolol
	Benzylpenicillin	Metronidazole
	Cefalexin	Midazolam
	Cefazolin	Mometasone
	Cefotaxime	Mupirocin
	Cefoxitin	Naloxone
	Ceftriaxone	Naproxen
	Celecoxib	Neomycin
	Chloramphenicol	Nirmatrelvir
	Ciprofloxacin	Nitrofurantoin
	Clavulanic Acid	Nystatin
	Clindamycin	Olanzapine
	Clopidogrel	Ondansetron

Clotrimazole	Oseltamivir
Codeine – when compounded with aspirin in divided preparations containing 30 mg or less of codeine per dosage unit	Pantoprazole
Codeine – when compounded with ibuprofen in divided preparations containing 30 mg or less of codeine per dosage unit	Phenoxyethylpenicillin
Codeine – when compounded with paracetamol in divided preparations containing 30 mg or less of codeine per dosage unit	Prednisolone
Colchicine	Prochlorperazine
Dexamethasone	Promethazine
Diazepam	Pseudoephedrine
Diclofenac	Roxithromycin
Dicloxacillin	Ritonavir
Doxycycline	Salbutamol
Doxylamine	Silver sulfadiazine
Droperidol	Sumatriptan
Enoxaparin	Temazepam
Esomeprazole	Tenecteplase
Flucloxacillin	Tetracaine
Fluconazole	Tramadol
Fluorescein	Tranexamic acid
Framycetin	Trimethoprim
Furosemide	Ulipristal
Gentamycin	Vaccine – diphtheria
Glucagon	Vaccine – hepatitis A

	<p>Glyceryl Trinitrate</p> <p>Gramicidin</p> <p>Hydrocortisone</p> <p>Hyoscine butyl-bromide</p> <p>Indomethacin</p> <p><b>Schedule 8 Medicines</b></p> <p>Fentanyl</p> <p>Morphine</p> <p>Oxycodone</p>	<p>Vaccine – hepatitis B</p> <p>Vaccine – influenza</p> <p>Vaccine - tetanus</p> <p>Valaciclovir</p> <p>Vancomycin</p> <p>Pethidine</p> <p>Tapentadol</p>
<b>Indication, Dose, Route, Frequency</b>	<ul style="list-style-type: none"> <li>Individual substances, or combinations of substances, are to be used according to the indication for which they are being administered as outlined in the OccuMED Clinical Practice Protocols as in force from time to time.</li> <li>Any administration of these substances outside of the approved Guidelines must be under direct instruction of a Medical Practitioner</li> </ul>	
<b>Contraindications and/or Exclusions*</b>	<ul style="list-style-type: none"> <li>Hypersensitivity or allergy to the individual drug substance or excipients of that formulation of the listed scheduled substances of this protocol.</li> <li>Any contraindications or exclusions as outlined in the individual scheduled substance product information.</li> <li>Any contraindication or exclusions as outlined in OccuMED Medical Services Clinical Practice Protocols.</li> </ul>	
<b>Health Professional Accreditation Requirements</b>	<p><u>Nurses must:</u></p> <ul style="list-style-type: none"> <li>Hold registration with the Nursing and Midwifery Board of Australia with no conditions or undertakings which may limit delivery of clinical services directly to patients</li> <li>Maintain continuing professional development related to skills and competencies required for delivery of medicines</li> </ul> <p><u>Paramedics must:</u></p> <ul style="list-style-type: none"> <li>Hold registration with the Paramedicine Board of Australia with no conditions or undertakings which may limit delivery of clinical services directly to patients</li> <li>Maintain continuing professional development related to skills and competencies required for delivery of medicines</li> </ul>	

<b>Chief Health Officer</b>	<b>Signature</b>	<b>Name</b>	<b>Date</b>
	EDOC2025/344891	Christopher Paul Burgess	23/12/2025
<b>Period of effect</b>	This SSTP is in effect until 23/12/2027 unless revoked earlier		
<b>References:</b> * The drug information provided is to act as a guide to outline the limits of legal dealing with the named scheduled substances. Further information reference should be made to the full manufacturer's product info and other reliable sources of medicines information. If contraindications or interactions are present refer to medical officer before administration			