Northern Territory of Australia

Medicines, Poisons and Therapeutic Goods Act 2012

CareFlight NT Operations SSTP Approval

I, Christine Maree Connors, Chief Health Officer:

(a) under section 254(1) of the Act, approve each Scheduled substance treatment protocol specified in Schedule A;

(b) under section 254(3) of the Act, state that each Schedule substance treatment protocol specified in Schedule A remains in effect for a period of 2 years on and from the date of this instrument.

Dated 4/11/2024

Chief Health Officer

Schedule A

Title	Publication Date	Author	
CareFlight NT Operations	1 November 2024	Medicines and Poisons,	
SSTP		Northern Territory	
		Government, Department of	
		Health	

CareFlight NT Operations SSTP

Areas Applicable	NT Wide					
Health Professionals authorised by this SSTP	Nurses, Midwives and Paramedics employed by or contracted to Careflight Limited (ABN 18 210 132 023) trading as CareFlight					
Scheduled Substance(s)	Acetylcysteine	Ergometrine	Midazolam	Rocuronium		
	Aciclovir	Furosemide	Misoprostol	Ropivicaine		
	Adenosine	Gentamicin	Mupirocin	Salbutamol		
	Adrenaline	Glyceryl trinitrate	Naloxone	Sulfamethoxazole		
	Alprostadil	Gramicidin	Naproxen	Suxamethonium		
	Amiodarone	Hydralazine	Neomycin	Tenecteplase		
	Antisera	Hydrocortisone	Metoprolol	Terlipressin		
	Atropine	Hyoscine	Nifedipine	Tetracaine		
	Benzatropine	Hyoscine Butylbromide	Noradrenaline	Thiopentone		
	Benzyl penicillin	Ibuprofen	Nystatin	Tramadol		
	Betamethasone	Insulin	Olanzapine	Tranexamic Acid		
	Ceftriaxone	Ipratropium	Omeprazole	Triamcinolone		
	Chlorpromazine	Isosorbide dinitrate	Ondansetron	Trimethoprim		
	Clopidogrel	Labetalol	Oxytocin	Vancomycin		
	Dexamethasone	Levetiracetam	Pancuronium			
	Diazepam	Lidocaine	Paracetamol	Schedule 8 medicines		
	Diclofenac	Loperamide	Phenobarbitone	Alfentanil		
	Dobutamine	Magnesium Sulfate	Phenytoin	Codeine		
	Dopamine	Mefenamic Acid	Pholcodine	Fentanyl		
	Doxylamine	Meropenem	Poractant	Ketamine		



	Droperidol	Metaraminol	Potassium Chloride	Morphine		
	Enoxaparin	Metoclopramide	Prochlorperazine	Oxycodone		
	Haloperidol	Metoprolol	Promethazine			
	Homatropine	Metronidazole	Propofol			
Indication, Dose, Route, Frequency	 Individual substances, or combinations of substances, are to be used according to the indication for which they are being administered as outlined in the CareFlight Medication Guidelines and Standing Orders as in force from time to time. Any administration of these substances outside of the approved Guidelines must be under direct instruction of a Medical Practitioner 					
Contraindications and/or Exclusions	Hypersensitivity or allergy to the individual drug substance or excipients of that formulation of the listed scheduled substances of this protocol					
	 Any contraindications or exclusions as outlined in the individual scheduled substance product information 					
	Any contra Guidelines	indication or exclusio	ns as outlined in Ca	reflight protocols or		
Health Professional Accreditation Requirements	 Nurses and Midwives must: Hold registration with the Nursing and Midwifery Board of Australia with no conditions or undertakings which may limit delivery of clinical services directly to patients Maintain continuing professional development related to skills and competencies required for delivery of medicines Paramedics must: Hold registration with the Paramedicine Board of Australia with no conditions or undertakings which may limit delivery of clinical services directly to patients Maintain continuing professional development related to skills and competencies required for delivery of medicines 					
Chief Health Officer	Signature	Name	Da	ite		
	EDOC2024/31079	90 Christine C	Connors 04	/11/2024		
Period of effect	This SSTP is in effect until 04/11/2026 unless revoked earlier					
D (1					

References:

^{*} The drug information provided is to act as a guide to outline the limits of legal dealing with the named scheduled substances. Further information reference should be made to the full manufacturer's product info and other reliable sources of medicines information. If contraindications or interactions are present refer to medical officer before administration