NT Immunisation Schedule

Adult and Special Risk Groups

Vaccines funded under the National Immunisation Program/NT Health

November 2026

Ph (08) 8922 8315

Immunisation program | NT Health

KEY All people | Aboriginal and Torres Strait Islander people | Specified medical risk conditions

ANNUAL INFLUENZA VACCINE

For all pregnant women every pregnancy, all adults 65 years and over, Aboriginal and Torres Strait Islander adults and adults with specified medical risk conditions

Age	Disease	Brand/Route	Important information
All pregnant women	Influenza	Vaxigrip® (IM) or Flucelvax® (IM)	Every pregnancy, any trimester ***See NT Influenza Schedule***
	Diphtheria, tetanus, pertussis	Boostrix® (IM) or Adacel® (IM)	Every pregnancy from 20 weeks
	Respiratory syncytial virus (RSV)	Abrysvo® (IM)	Every pregnancy from 28 weeks
All Adults			
Under 26 years	Human papillomavirus (HPV)	Gardasil® 9 (IM)	Single dose 3 dose course People who are immunocompromised | HPV | AIH
Born during or after 1966	Measles, mumps, rubella	Priorix® (SC) (IM)	If not received two MMR vaccines or are not immune, give 2 doses, 1 month apart
65 years and over	Influenza	Fluad® (IM)	Annually, ***see NT Influenza Schedule***
	Herpes zoster (shingles)	Shingrix® (IM)	2 doses, 2-6 months apart
	Pneumococcal	Capvaxive® (IM)	Single dose-at least 12 months after a previous pneumococcal vaccine ***See NT Pneumococcal Vaccination Schedule***
	COVID-19	Comirnaty® (IMI)	***See NT COVID-19 Vaccination Schedule***
75 years and over	Respiratory syncytial virus (RSV)	Arexvy® (IM)	Single dose
Aboriginal and Torres Strait Islander adults			
20 to less than 65 years	Influenza	Vaxigrip® (IM) or Flucelvax® (IM)	Annually, ***see NT Influenza Schedule***
65 years and over	Influenza	Fluad® (IM)	Annually, ***see NT Influenza Schedule***
20-50 years NT funded	Hepatitis B	Engerix B® Adult (IM)	3 doses (0, 1 and 6 months) if not previously vaccinated or not immune through natural infection
25 years and over with no risk conditions	Pneumococcal	Capvaxive® (IM)	Single dose-at least 12 months after a previous pneumococcal vaccine ***See NT Pneumococcal Vaccination Schedule***
50 years and over	Herpes zoster (shingles)	Shingrix® (IM)	2 doses, 2-6 months apart
	COVID-19	Comirnaty® (IMI)	***See NT COVID-19 Vaccination Schedule***
60 years and over	Respiratory syncytial virus (RSV)	Arexvy® (IM)	Single dose
Adults with specified medical risk conditions			
Age and disease specific	Influenza	Age appropriate (IM)	Annually, ***see NT Influenza Schedule***
	Pneumococcal	Capvaxive® (IM)	Single dose-18 years or over at diagnosis ***See NT Pneumococcal Vaccination Schedule***
	COVID-19	Comirnaty® (IMI)	***See NT COVID-19 Vaccination Schedule***
	Herpes zoster (shingles)	Shingrix® (IM)	2 doses, 1-2 months apart
	Meningococcal ACWY	Nimenrix® (IM)	Immunisation for people with medical risk conditions | AIH
	Meningococcal B	Bexsero® (IM)	
	Haemophilus influenzae type b (Hib)	Act-HIB® (IM)	

For refugees & other humanitarian entrants aged 20 years and over
see Vaccination for migrants, refugees and people seeking asylum in Australia | The Australian Immunisation Handbook

This schedule is a summary. For more detailed information refer to
The Australian Immunisation Handbook

NORTHERN TERRITORY GOVERNMENT